

Nome Prodotto

Imbracatura Imbottita Universale in Maglia con Testiera.

Codice	Misure	Portata (Kg)
01.01.TC1000	Standard	180

Destinazione d'uso

Le Imbracature vengono associate ad un sollevatore della Linea SCANMEDICALEUROPE per la movimentazione dei pazienti.

Descrizione

L'Imbracatura Universale Imbottita con testiera, grazie al suo design ergonomico, consente un trasferimento sicuro e confortevole del paziente dalla posizione seduta a quella sdraiata e viceversa.

La morbida imbottitura, studiata per offrire il massimo comfort anche durante utilizzi prolungati, riduce i punti di pressione e garantisce un sostegno delicato ma stabile su tutto il corpo.

L'appoggiatesta integrato fornisce un supporto avvolgente alla nuca, contribuendo a prevenire movimenti inappropriati del tratto cervicale e assicurando maggiore stabilità durante le operazioni di sollevamento.

Per garantire sempre la massima sicurezza e igiene, si consiglia di sostituire le imbracature ogni 3 anni.



Materiali	
Imbracatura	Maglia
Manutenzione e Pulizia	
	Lavaggio Max. 40°C
	Non Stirare
	Non Candeggiare
	Non Asciugare a Tamburo
Conservazione e Smaltimento	
Si consiglia l'uso ad un solo utente	
Conservare al riparo da fiamme libere e fonti di calore	
Smaltire il dispositivo rispettando le normative vigenti in materia di tutela dell'ambiente e raccolta differenziata	
Confezione e Nr. Articoli	
Scatola	1 Pezzo
Garanzia	
Europea	24 mesi per difetti di fabbricazione ad esclusione delle parti consumabili
Riferimenti del Prodotto	
Fabbricante	Demarta Virginio S.r.l.
Classe di Dispositivo MDR 2017/745	Classe I
Codice ISO DM332/99	12.36.03.103
Codice ISO DPCM 12.01.2017	12.36.21.006
Codice CND	V0805030102
Codice RDM	2964349/R

Product Name

Universal Padded Mesh Harness with Headrest.

Code	Size	Capacity (Kg)
01.01.TC1000	Standard	180

Use

The slings are associated with a lift of the SCANMEDICALEUROPE Line for patient handling.

Description

The Universal Padded Sling with Headrest, thanks to its ergonomic design, allows for safe and comfortable patient transfers from a sitting to a lying position and vice versa.

The soft padding, designed to offer maximum comfort even during prolonged use, reduces pressure points and ensures gentle yet stable support across the entire body.

The integrated headrest provides wraparound support for the neck, helping to prevent inappropriate cervical spine movements and ensuring greater stability during lifting operations.

To ensure maximum safety and hygiene, we recommend replacing harnesses every 3 years.



Materials	
Sling	Mesh
Maintenance and Cleaning	
	Water Temperature not Above 40°C or 105°F
	Do not Iron
	Do not Bleach
	Do not Tumble Dry
Storage and Disposal	
Single-user Product	
Keep away from heat, sparks, open flame or other sources of ignition	
Dispose of the device in compliance with current regulations on environmental protection and separate waste collection	
Package and Nr.Items	
Box	1 Piece
Warranty	
European	24 months for manufacturing defects with the exception of consumable parts
Product References	
Manufacturer	Demarta Virginio S.r.l.
Directive MDR 2017/745	Class I
ISO Code DM332/99	12.36.03.103
ISO Code DPCM 12.01.2017	12.36.21.006
CND Code	V0805030102
RDM Code	2964349/R